



IT IS SAFE TO RIDE A BICYCLE

**R
101**

**21 Speed
SPEAR M/W**



TECHNICAL SPECIFICATION

Frame : Steel With Tig Welding, Fork : Suspension, Rim: Magnesium Wheel, Freewheel: 7Speed, Tyres: 26 * 2.35/26 * 2.40/26 * 2.60/26 * 3.00 Nylon Bottom Set : Cartage, Brake: Double Disc, Paddle: Alloy, Rear Derailleur: Shifter : EF500 (21Speed)



**R
102** 21 Speed
SPEAR



TECHNICAL SPECIFICATION

Frame : Steel With Tig Welding, Fork : Suspension, Rim: Double Wall Alloy, Freewheel : 7Speed, Tyres: 26 * 2.35 Nylon, Bottom Set : Cartage, Brake: Double Disc, Paddle: Alloy, Rear Derailleur: Shifter : EF500 (21Speed)



**R
103** 21 Speed
ARES A

TECHNICAL SPECIFICATION

Frame : Steel, Fork : Suspension, Rim: Double Wall Alloy, Freewheel : 7Speed, Tyres: 26 * 2.35 Nylon, Bottom Set : Cotter Less Axle, Brake: Double Disc, Paddle: Alloy, Rear Derailleur: Shifter : EF500 (21Speed)



**R
104**

**21 Speed
ARES C**

TECHNICAL SPECIFICATION

Frame : Steel, Fork : Rigid Fork, Rim: Double Wall Alloy, Freewheel : 7 Speed Index,
Tyres: 26 * 2.35 Nylon, Bottom Set : Cotter less Axle, Brake: V Brake, Paddle: Plastic,
Rear Derailleur: (21 Speed)

**R
105**

**7 Speed
ARES**



TECHNICAL SPECIFICATION

Frame : Steel, Fork : Rigid Fork, Rim: Double Wall Alloy, Freewheel : 7Speed Index, Tyres: 26 * 2.35 Nylon, Bottom Set : Cotter Less Axle,
Brake: V Brake, Paddle: Plastic, Rear Derailleur: (7 Speed)



**R
106**

**21 Speed
NEXTUR A**



TECHNICAL SPECIFICATION

Frame : Steel with Shocker , Fork : Suspension Fork, Rim: Double wall Alloy,
Freewheel : 7 Speed Index, Tyres: 26 * 2.35 Nylon, Bottom Set : Cotter less Axle,
Brake: Double Disc, Paddle: Plastic, Rear Derailleur: 21 Speed



TECHNICAL SPECIFICATION

Frame : Steel Frame With Tig Welding, Fork : Rigid Fork, Rim: Double Wall Alloy, Freewheel : 7 Speed Index, Tyres: 26 * 2.35 Nylon,
Bottom Set : Cartage, Brake: V-Brake, Paddle: Plastic, Rear Derailleur.

**R
107**

**7 Speed
COSMOS**



**R
108**

Single Speed
SPEAR

TECHNICAL SPECIFICATION

Frame : Steel With Tig Welding, Fork : Suspension, Rim: Double Wall Alloy, Freewheel : 18 T,
Tyres: 26 * 2.35 Nylon, Bottom Set : Cartage Bottom Set (Nikko), Brake: Double Disc, Paddle: Alloy

**R
109**

Single Speed
ARES



TECHNICAL SPECIFICATION

Frame : Steel, Fork : Rigid, Rim: Double Wall Alloy, Freewheel : 18 T, Tyres: 26 * 2.35 Nylon,
Bottom Set : Cotter Less Axle, Brake: V Brake, Paddle: Plastic



R
110

Single Speed
NEXTUR



TECHNICAL SPECIFICATION

Frame : Steel, Fork : Suspension Fork, Rim: Double Wall Alloy, Freewheel : 18 T,
Tyres: 26 * 2.35 Nylon, Bottom Set : Cotter Less Axle, Brake: Front Disc Rear V Brake, Paddle: Plastic



R
111

Single Speed
NEXTUR

TECHNICAL SPECIFICATION

Frame : Steel, Fork : Suspension Fork, Rim: Double Wall Alloy,
Freewheel : 18 T, Tyres: 26 * 2.35 Nylon, Bottom Set : Cotter Less Axle,
Brake: Front Disc Rear V Brake, Paddle: Plastic



**R
112**

Single Speed
COSMOS

TECHNICAL SPECIFICATION

Frame : Steel Frame With Tig Welding, Fork : Rigid Fork, Rim: Double Wall Alloy, Freewheel : 18 T,
Tyres: 26 * 2.35 Nylon, Bottom Set : Cartage, Brake: V-Brake, Paddle: Plastic

**R
113**

FEAST

TECHNICAL SPECIFICATION

FEAST 12*2.125

Steel Frame, Front & Rear Caliper Brake, Nylon Tyre Cotterless Chainwheel,
Full Chain Cover, Steel Rim Lecker Paint, Nylone Tyre





R
114

ALICAN

TECHNICAL SPECIFICATION

Alican 16*2.125 Nylon Tyre, Seat Post Quick Release, Pu Seat, Front Tig Frame Cotterless Chain Wheel



R
115

SPEAR

TECHNICAL SPECIFICATION

Spear 20*2.35, Nylon Tyre, Seat Post Quick Release, Pu Seat, Quick Release Hub, Stem Handel, Cotterless Axel Bottom, Front Disk Cotterless Chain Wheel, Lecker Sticker, Front Suspension





R
116

ALICANT M/W

TECHNICAL SPECIFICATION

Alicant 20*2.125 With Magnesium
Nylon Tyre, Seat Post Quick Release, Pu Seat,
Front TIG Frame Stem Handle, Cotterless Axle
Bottom Cotterless Chain Wheel

R
117

SPEAR M/W

TECHNICAL SPECIFICATION

Spear 20*2.35 With Magnesium Rim
Nylon Tyre, Seat Post Quick Release, Pu Seat, Quick Release Hub,
Stem Handle, Cotterless Axle Bottom, Front Disk Cotterless
Chain Wheel, Lecker Sticker, Front Suspension





R 118 **FORTE**

TECHNICAL SPECIFICATION

Frame : Alloy Frame, Fork : Rigid Fork Alloy,
Rim: Alloy Single Wall 26 * 400, Freewheel : 12 Speed,
Tyres: 26 * 400 Nylon, Bottom Set : Cartage,
Brake: Hydraulic Double Disc, Paddle: Alloy,
Rear Derailleur.



R 119 **GLACTUS**

TECHNICAL SPECIFICATION

Frame : Alloy 60.61 Grade, Fork : Suspension With Lock,
Rim: Double Wall Alloy, Freewheel : 12 Speed Index,
Tyres: 26 * 2.35 Nylon, Bottom Set : Cartage Bottom Set (Nikko),
Brake: Double Disc Hydraulic Disc, Paddle: Alloy,
Rear Derailleur.



**R
120**

GRAVITY

TECHNICAL SPECIFICATION

Frame : Alloy 60.61 Grade, Fork : Suspension With Lock,
Rim: Double Wall Alloy, Freewheel : 9 Speed Index,
Tyres: 26 * 2.35 Nylon, Bottom Set : Cartage Bottom Set (Nikko),
Brake: Double Disc Hydraulic Disc, Paddle: Alloy,
Rear Derailleur: Shimano Acera, Front Derailleur: Shimano Acera,
Shifter : Shimano EF505

**R
121**

PACE

TECHNICAL SPECIFICATION

Frame : Alloy 700C Cronus, Fork : Alloy Rigid,
Rim: Alloy Double Wall, 700C, 14G, 28H, Freewheel : Shimano 11 Speed,
Tyres: 700 * 23C Nylon, Bottom Set : Attached to Crank Set,
Brake: Hydraulic Disc Brake Tektro, Paddle: Alloy With Reflector,
Rear Derailleur: Shimano R7000, Front Derailleur: Shimano R7000,
Shifter : Shimano STR7025, Crank Set: Pro-wheel 50/34T With Alloy Crank





TECHNICAL SPECIFICATION

Frame: Steel With Tig Welding
Fork: Suspension
Rim: Magnesium Wheel
Freewheel: 7Speed
Tyres: 26 * 2.35 Nylon
Bottom Set: Cartage
Brake: Double Disc
Paddle: Alloy
Rear Derailleur: Shimano TZ50
Front Derailleur: Shimano
Shifter: EF500 (21Speed)

SPECIFICATION FOR ELECTRIC KIT

Motor: 250 W
Battery: 36V * 10AH Lithium Ion
Control Box: According To Need
Charge: According To Need
Paddle Assist: Yes
Battery Casing: According To Need
Operating Period: 40KM
Speed: 25 Km/Per Hour

R
122

SPEAR



TECHNICAL SPECIFICATION

Frame: Alloy Frame
Fork: Rigid Fork Alloy
Rim: Double Wall Alloy Rim 700C
Freewheel: 9 Speed
Tyres: 700 * 32C
Bottom Set: Cartage
Brake: Hydraulic Double Disc
Paddle: Alloy
Rear Derailleur: Shimano Acera
Shifter: Ef505
Crank Set: Alloy

SPECIFICATION FOR ELECTRIC KIT

Motor: 250 W
Battery: 48V * 10AH
Control Box: According To Need
Charge: According To Need
Paddle Assist: Yes
Battery Casing: According To Need
Operating Period: 60KM
Speed: 25 Km/Per Hour

R
123

ELECTRON



TECHNICAL SPECIFICATION

Frame: Alloy Frame
 Fork: Rigid Fork Alloy
 Rim: Single Wall Alloy Rim
 Freewheel: 8 Speed
 Tyres: 26 * 1.95 Nylon
 Bottom Set: Cartage
 Brake: Double Disc
 Paddle: Alloy
 Rear Derailleur: Shimano Altus
 Crank Set: Alloy

SPECIFICATION FOR ELECTRIC KIT

Motor: 350 W
 Battery: 48V * 10AH
 Control Box: According To Need
 Charge: According To Need
 Paddle Assist: Yes
 Battery Casing: According To Need
 Operating Period: 60KM
 Speed: 25 Km/Per Hour

R 124 BEAM

TECHNICAL SPECIFICATION

Frame: Alloy Frame
 Fork: Rigid Fork Alloy
 Rim: Alloy Single Wall 26 * 400
 Freewheel: 9 Speed
 Tyres: 26 * 400 Nylon
 Bottom Set: Cartage
 Brake: Hydraulic Double Disc
 Paddle: Alloy
 Rear Derailleur: Shimano Altus
 Shifter: Ef505
 Crank Set: Alloy

SPECIFICATION FOR ELECTRIC KIT

Motor: 350W
 Battery: 48V * 10AH
 Control Box: According To Need
 Charge: According To Need
 Paddle Assist: Yes
 Battery Casing: According To Need
 Operating Period: 60KM
 Speed: 25 Km/Per Hour

R 125 ENCORE





R
126

WHEEL SIZE: 28X1.1/2

SARPANCH



R
127

WHEEL SIZE: 26X1.1/2

BLACK TIGER



R
128

WHEEL SIZE: 26X1.1/2

RED TIGER

R
129

WHEEL SIZE: 26X1.1/2

MOHINI IBC



R
130

WHEEL SIZE: 26X1.1/2

SUKHOI



R
131

WHEEL SIZE: 26X1.1/2

RED QUEEN



**R
132**

WHEEL SIZE: 20x2.25

HIGH SPEED



**R
133**

WHEEL SIZE: 20x2.125

PRESTIGE DS



**R
134**

WHEEL SIZE: 20x2.125

PRESTIGE DS

Kids Bike



R 135 WHEEL SIZE: 16x1.25
TRACKRUN



R 137 WHEEL SIZE: 16x1.25
VICTOR



R 136 WHEEL SIZE: 16x1.25
VIEW TRACK



R 138 WHEEL SIZE: 16x1.25
MAZA RUN



MEHAR TECH COMPANY

Registration Number : 03BMPPS9972R1ZO

Address : 33 Fita Road, Near - Bikaner Sweet Shop, Giaspura, Ludhiana, Punjab ,INDIA

Pin Code : 141016

Contact : +91 88730 20021

Gmail Id : mehartechcompany@gmail.com

